

City of Sioux City
Public Works Department
405 6th Street
Sioux City, IA 51104
November 1, 2016

Addendum No. 1

46th Street Paving and Drainage Improvements
Sioux City, Iowa
OA Project No. 013-0667
6569-719-133

TO ALL PROSPECTIVE BIDDERS

This addendum shall become a legal binding part of the contract documents. All bidders shall agree to accept the revisions, additions, and/or deletions indicated and prepare proposals in accordance therewith. The following revisions, additions, and/or deletions are hereby made a part of the Contract Documents and plans for the above referenced project, as fully and completely as if the same were fully set forth therein:

CONTRACT DOCUMENTS AND SPECIFICATIONS

1. Pages C-3, C-4, D-3, and D-4
Alternate Bid Item 43 – Utility Pole Impact to be added. Remove these pages in their entirety. Replace with attached pages C-3, C-4, D-3, and D-4.
2. Special Provisions
Add: **18. Utility Pole Impact**
This bid item shall include all additional costs to complete the project in accordance with the plans and specifications if the existing utility poles on the south side of 46th Street are not relocated. No measurement will be made. Payment will be at the lump sum price for Utility Pole Impact.

PLANS

1. Sheet 3 – Site Plan
Adjust the Phase 2/Phase 3 boundary from Station 8+75 to Station 6+50.

Attachments

1. Pages C-3, C-4, D-3, and D-4
2. Page SP-5
3. Sheet 3 – Site Plan

All bidders shall acknowledge receipt and acceptance of this addendum by entering the addendum number on the appropriate space of the submitted Bid Form.

	<p>I hereby certify that this engineering document was prepared by me or under my direct personal supervision and that I am a duly licensed Professional Engineer under the laws of the State of Iowa.</p>
	<p> _____ Rodney L. Hanson, P.E.</p> <p>Date: <u>11-1-16</u></p> <p>License No. 17139 My renewal date is December 31, 2017</p> <p>Pages or sheets covered by this seal: Addendum No. 1 and attachments</p>

**BID ITEMS, QUANTITIES AND PRICES FOR
46TH STREET PAVING AND DRAINAGE IMPROVEMENTS PROJECT**

This is a UNIT BID PRICE CONTRACT. The bidder must provide the Unit Bid Price, the Total Bid Price, any Alternate Price(s), and the Total Construction Cost; in case of discrepancy, the Unit Bid Price governs. The quantities shown on this Attachment - Bid Items, Quantities, and Prices are approximate only, but are considered sufficiently adequate for the purpose of comparing bids. The total Construction Cost of Unit Bid Price may be selected by the City and shall be used for comparison of bids. The Total Construction Cost, including any Alternates, shall be used for determining the sufficiency of the bid security.

NO.	REFERENCE	DESCRIPTION	UNIT	QTY	UNIT PRICE	BID PRICE
1	1070, 2.06	TRAFFIC CONTROL	LS	1	\$	\$
2	2010, 1.08, C	CLEARING AND GRUBBING	LS	1	\$	\$
3	2010, 1.08, G	SUBGRADE PREPARATION	SY	2977	\$	\$
4	2010, 1.08, E	EXCAVATION, CLASS 10	CY	610	\$	\$
5	2010, 1.08, H	SUBGRADE TREATMENT, GEOGRID	SY	2781	\$	\$
6	2010, 1.08, I	SUBBASE, MODIFIED SUBBASE, 36"	SY	2781	\$	\$
7	2010, 1.08, I	SUBBASE, GRANULAR STABILIZATION, 12"	SY	2781	\$	\$
8	2010, 1.08, N	C-STONE	CY	908	\$	\$
9	4020, 1.08, A	STORM SEWER, TRENCHED, RCP, 15"	LF	100	\$	\$
10	4020, 1.08, A	STORM SEWER, TRENCHED, RCP, 18"	LF	1748	\$	\$
11	4020, 1.08, A	STORM SEWER, TRENCHED, RCP, 42"	LF	192	\$	\$
12	4020, 1.08, C	REMOVAL OF STORM SEWER	LF	305	\$	\$
13	4030, 1.08, B	PIPE APRON, RCP, 18"	EA	2	\$	\$
14	4030, 1.08, B	PIPE APRON, RCP, 42"	EA	1	\$	\$
15	4040, 1.08, A	SUBDRAIN, CORRUGATED PE, 6"	LF	1296	\$	\$
16	4040, 1.08, C	SUBDRAIN CLEANOUT, TYPE A-1, 6"	EA	4	\$	\$
17	4040, 1.08, D	SUBDRAIN OUTLETS AND CONNECTIONS, CMP, 6"	EA	2	\$	\$
18	5010, 1.08, A	WATER MAIN, TRENCHED, PVC, 6"	LF	40	\$	\$
19	5010, 1.08, C,	FITTING, BEND, 6"	EA	4	\$	\$
20	6010, 1.08, A	MANHOLE TYPE SW-401, 48"	EA	7	\$	\$
21	6010, 1.08, B	INTAKE TYPE SW-501	EA	5	\$	\$
22	6010, 1.08, B	INTAKE TYPE SW-502	EA	1	\$	\$

Addendum No.1

23	6010, 1.08, B	INTAKE TYPE SW-505	EA	2	\$	\$
24	6010, 1.08, B	INTAKE TYPE SWS-8	EA	4	\$	\$
25	6010, 1.08, E	MANHOLE ADJUSTMENT, MINOR	EA	8	\$	\$
26	6010, 1.08, H	REMOVE MANHOLE OR INTAKE	EA	5	\$	\$
27	7010, 1.08, A	PAVEMENT, PCC, 7"	SY	7476	\$	\$
28	7030, 1.08, A	REMOVAL OF SIDEWALK OR DRIVEWAY	SY	575	\$	\$
29	7030, 1.08, E	SIDEWALK, PCC, 4"	SY	225	\$	\$
30	7030, 1.08, G	DETECTABLE WARNING	SF	8	\$	\$
31	7030, 1.08, H	DRIVEWAY, PAVED, PCC, 6"	SY	350	\$	\$
32	7040, 1.08, H	PAVEMENT REMOVAL	SY	7461	\$	\$
33	9010, 1.08, B	HYDRAULIC SEEDING, TYPE 1 SEEDING, FERTILIZING, AND MULCHING	AC	0.75	\$	\$
34	9040, 1.08, A, 2	SWPPP MANAGEMENT	LS	1	\$	\$
35	9040, 1.08, J	RIP RAP, EROSION STONE	TON	77	\$	\$
36	9040, 1.08, T, 1	INLET PROTECTION DEVICE, SURFACE-APPLIED	EA	12	\$	\$
37	11,020, 1.08, A	MOBILIZATION	LS	1	\$	\$
38	11,040, 1.08, A	MAINTENANCE OF POSTAL SERVICE	LS	1	\$	\$
39	11,040, 1.08, B	MAINTENANCE OF SOLID WASTE COLLECTION	LS	1	\$	\$
40	11,050, 1.08, A	TEMPORARY PEDESTRIAN RESIDENTIAL ACCESS	SY	128	\$	\$
41	11,050, 1.08, D	TEMPORARY GRANULAR SURFACING, 6"	SY	300	\$	\$
42	11,060, 1.08, A	CONCRETE WASHOUT	LS	1	\$	\$
Total Unit Bid Price (Items 1-42)						\$
43	SP 18	UTILITY POLE IMPACT	LS	1	\$	\$
Alternate Bid Item (Item 43)						\$

NOTE: It is understood that the above quantities are estimated for the purpose of this bid. All quantities are subject to revision by the City. Quantity changes which amount to twenty percent (20%) or less of the total bid shall not affect the unit bid price.

**CONTRACT ATTACHMENT:
 BID ITEMS, QUANTITIES, AND PRICES FOR
46TH STREET PAVING AND DRAINAGE IMPROVEMENTS PROJECT**

THIS CONTRACT IS AWARDED AND EXECUTED FOR COMPLETION OF THE WORK SPECIFIED IN THE CONTRACT DOCUMENTS FOR THE BID PRICES TABULATED BELOW AS PROPOSED BY THE CONTRACTOR IN ITS BID SUBMITTED IN ACCORDANCE WITH INSTRUCTIONS TO BIDDERS AND NOTICE OF PUBLIC HEARING. ALL QUANTITIES ARE SUBJECT TO REVISION BY THE CITY. QUANTITY CHANGES WHICH AMOUNT TO TWENTY PERCENT (20%) OR LESS OF THE AMOUNT BID SHALL NOT AFFECT THE UNIT BID PRICE.

NO.	REFERENCE	DESCRIPTION	UNIT	QTY	UNIT PRICE	BID PRICE
1	1070, 2.06	TRAFFIC CONTROL	LS	1	\$	\$
2	2010, 1.08, C	CLEARING AND GRUBBING	LS	1	\$	\$
3	2010, 1.08, G	SUBGRADE PREPARATION	SY	2977	\$	\$
4	2010, 1.08, E	EXCAVATION, CLASS 10	CY	610	\$	\$
5	2010, 1.08, H	SUBGRADE TREATMENT, GEOGRID	SY	2781	\$	\$
6	2010, 1.08, I	SUBBASE, MODIFIED SUBBASE, 36"	SY	2781	\$	\$
7	2010, 1.08, I	SUBBASE, GRANULAR STABILIZATION, 12"	SY	2781	\$	\$
8	2010, 1.08, N	C-STONE	CY	908	\$	\$
9	4020, 1.08, A	STORM SEWER, TRENCHED, RCP, 15"	LF	100	\$	\$
10	4020, 1.08, A	STORM SEWER, TRENCHED, RCP, 18"	LF	1748	\$	\$
11	4020, 1.08, A	STORM SEWER, TRENCHED, RCP, 42"	LF	192	\$	\$
12	4020, 1.08, C	REMOVAL OF STORM SEWER	LF	305	\$	\$
13	4030, 1.08, B	PIPE APRON, RCP, 18"	EA	2	\$	\$
14	4030, 1.08, B	PIPE APRON, RCP, 42"	EA	1	\$	\$
15	4040, 1.08, A	SUBDRAIN, CORRUGATED PE, 6"	LF	1296	\$	\$
16	4040, 1.08, C	SUBDRAIN CLEANOUT, TYPE A-1, 6"	EA	4	\$	\$
17	4040, 1.08, D	SUBDRAIN OUTLETS AND CONNECTIONS, CMP, 6"	EA	2	\$	\$
18	5010, 1.08, A	WATER MAIN, TRENCHED, PVC, 6"	LF	40	\$	\$
19	5010, 1.08, C,	FITTING, BEND, 6"	EA	4	\$	\$
20	6010, 1.08, A	MANHOLE TYPE SW-401, 48"	EA	7	\$	\$
21	6010, 1.08, B	INTAKE TYPE SW-501	EA	5	\$	\$
22	6010, 1.08, B	INTAKE TYPE SW-502	EA	1	\$	\$

23	6010, 1.08, B	INTAKE TYPE SW-505	EA	2	\$	\$
24	6010, 1.08, B	INTAKE TYPE SWS-8	EA	4	\$	\$
25	6010, 1.08, E	MANHOLE ADJUSTMENT, MINOR	EA	8	\$	\$
26	6010, 1.08, H	REMOVE MANHOLE OR INTAKE	EA	5	\$	\$
27	7010, 1.08, A	PAVEMENT, PCC, 7"	SY	7476	\$	\$
28	7030, 1.08, A	REMOVAL OF SIDEWALK OR DRIVEWAY	SY	575	\$	\$
29	7030, 1.08, E	SIDEWALK, PCC, 4"	SY	225	\$	\$
30	7030, 1.08, G	DETECTABLE WARNING	SF	8	\$	\$
31	7030, 1.08, H	DRIVEWAY, PAVED, PCC, 6"	SY	350	\$	\$
32	7040, 1.08, H	PAVEMENT REMOVAL	SY	7461	\$	\$
33	9010, 1.08, B	HYDRAULIC SEEDING, TYPE 1 SEEDING, FERTILIZING, AND MULCHING	AC	0.75	\$	\$
34	9040, 1.08, A, 2	SWPPP MANAGEMENT	LS	1	\$	\$
35	9040, 1.08, J	RIP RAP, EROSION STONE	TON	77	\$	\$
36	9040, 1.08, T, 1	INLET PROTECTION DEVICE, SURFACE-APPLIED	EA	12	\$	\$
37	11,020, 1.08, A	MOBILIZATION	LS	1	\$	\$
38	11,040, 1.08, A	MAINTENANCE OF POSTAL SERVICE	LS	1	\$	\$
39	11,040, 1.08, B	MAINTENANCE OF SOLID WASTE COLLECTION	LS	1	\$	\$
40	11,050, 1.08, A	TEMPORARY PEDESTRIAN RESIDENTIAL ACCESS	SY	128	\$	\$
41	11,050, 1.08, D	TEMPORARY GRANULAR SURFACING, 6"	SY	300	\$	\$
42	11,060, 1.08, A	CONCRETE WASHOUT	LS	1	\$	\$
Total Unit Bid Price (Items 1-42)						\$
43	SP 18	UTILITY POLE IMPACT	LS	1	\$	\$
Alternate Bid Item (Item 43)						\$

16. Section 11,040 – Temporary Services During Construction

(the following is added)

1.08, a, 3. Includes: Lump sum price includes, but is not limited to, removal, temporary storage and protection, and reinstallation of all conflicting mailboxes. Item also includes replacing any mailboxes damaged during construction to the satisfaction of the Engineer.

17. Section 11,050 – Temporary Sidewalk Access

(the following is added)

1.01, D. Temporary Granular Surfacing

1.02, D. Construct a granular surfaced, temporary, vehicle access

1.08, D. Temporary Granular Surfacing

1. Measurement: Granular surfacing for temporary access will be measured in square yards for each thickness of surfacing.
2. Payment: Payment will be made at the unit price per square yard for each thickness of surfacing.
3. Includes: The unit price for temporary granular surfacing includes, but is not limited to, supplying and placing granular material, continuous maintenance of granular surface, removal of temporary granular surfacing, and restoring disturbed surfaces to a condition equal to that which existed prior to construction.


2.01, *(Add)* temporary granular surfacing.

18. Utility Pole Impact

This bid item shall include all additional costs to complete the project in accordance with the plans and specifications if the existing utility poles on the south side of 46th Street are not relocated. No measurement will be made. Payment will be at the lump sum price for Utility Pole Impact.



--END OF SPECIAL PROVISIONS--

DWG: F:\Projects\013-0667\013-0667_PBN\Preliminary_Plans_V_P_SIT_30667.dwg
 DATE: Oct 27, 2016 4:21pm
 USER: jlarson
 C:\PSTRM_30667
 C:\TBLK_30667
 0130667_XTOPO



SPECIAL CONSTRUCTION NOTES:

1. THE CONTRACTOR SHALL SEQUENCE CONSTRUCTION TO MAINTAIN VEHICULAR TRAFFIC TO ADJACENT PRIVATE DRIVES AND PARKING LOTS DURING CONSTRUCTION AS SHOWN IN THE CONSTRUCTION DRAWINGS.
2. SUGGESTED PAVING SEQUENCE SHOWN IN CONSTRUCTION DRAWINGS. PRIOR TO ANY CONSTRUCTION, CONTRACTOR SHALL SUBMIT A CONSTRUCTION SEQUENCING SCHEDULE TO THE ENGINEER FOR REVIEW AND APPROVAL. THE SEQUENCING PLAN SHALL SHOW HOW ACCESS WILL BE MAINTAINED TO PROPERTIES AS SHOWN IN THE SITE PLAN.
3. SUBGRADE AND PAVEMENT DESIGN FOR THE PROJECT FOLLOWS RECOMMENDATIONS PRESENTED IN CERTIFIED TESTING SERVICES GEOTECHNICAL REPORTS G3427 DATED MAY 14, 2012 AND G4659 DATED MARCH 16, 2016. THE CONTRACTOR IS RESPONSIBLE FOR REVIEWING AND FOLLOWING ALL RECOMMENDATIONS OF THE FULL REPORTS AND ALL ADDENDUMS.
4. THE CONTRACTOR SHALL CONTACT CERTIFIED TESTING SERVICES AND COORDINATE PROOF ROLLING PRIOR TO THE CONSTRUCTION OF ANY STREET PAVEMENT, SUBBASE, OR SUBGRADE PREPARATION. THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING CERTIFIED TESTING SERVICES AND THE COORDINATION OF ALL MATERIAL TESTING AS REQUIRED IN SUDAS STANDARD SPECIFICATIONS AND SIOUX CITY SUPPLEMENT TO SUDAS STANDARD SPECIFICATIONS.



REV. NO.	DATE	REVISIONS DESCRIPTION
1	10.27.16	ADDENDUM 1

NO.	DATE	REVISIONS
1	2016	